

# SPECIALIST NAILER

# SPECIALIST NAILER

# FIXINGS

# FRAMING NAILER

# CONSUMABLES & COMPLETE SYSTEM



Paslode tools have a standard 2 year warranty, covering all components providing that Manufacturer's Operating Instructions have been followed, that no modifications have been made or non-original components or spare parts have been used, and that the tool has not been accidentally damaged or neglected.  
\*except COMBI Xi which is 3-Year warranty



**IM45 GN** PRODUCT CODE: 018608

The IM45 GN is the first cordless coil nailer. Its diverse range of nails suits many applications such as metal roofing and cladding.

**2.75 KG WEIGHT**  
**30J OF POWER**

**IDEAL USERS**  
Metal Roofers working on residential and commercial projects. Also suitable for Carpenters working on cladding applications.

FEATURE	BENEFIT
30 Joules of power	Ideal power ensures clean flush finish
Unique delivery system is in a class of its own	Decreased force needed to drive nails as opposed to hand nailing
Simple and versatile tool	Nail collation suits many applications
No-mar rubber tip delivers a perfect flush finish	Prevents surface damage to building materials
Optimised nose design and clear line of sight	Aids accurate fixing, even in tight spaces

**CONSUMABLES**

- High nail capacity per coil: 125 nails
- No debris nail collation gives a clean flush finish



**IM45 CW** PRODUCT CODE: 018116

The IM45 CW Clout Nailer is designed specifically for clout nails which suit a wide range of applications such as flat roof membrane and shingles.

**3 KG WEIGHT**  
**30J OF POWER**

**IDEAL USERS**  
Roofers and general builders working on renovation and commercial projects

FEATURE	BENEFIT
Fires clout head nails	Suitable for a wide range of applications
6x faster than hand nailing	Saving time and cost per job
125 nail magazine capacity	Less time spent reloading
30 Joules of power	Ideal power ensures clean flush finish

**CONSUMABLES**

- High nail capacity per coil: 125 nails

Selection guides for tools to the left.

### IM45 GN NAIL SELECTION GUIDE

NAIL	FUEL CELLS	QTY	CODE	APPLICATIONS									
				Metal roof install	External cladding	Overboarding	Fencing	Shingles	Flashing	Packaging	Temporary signage	Composite tiles	
35 x 2.5mm NailScrew*	1	1000	142205										
40 x 2.5mm NailScrew*	1	750	142206										
25 x 2.8mm Ring	1	1000	142200										
25 x 2.8mm Ring A2	1	1000	142201										
32 x 2.8mm Ring A2	1	1000	142202										
35 x 2.5mm Ring A2	1	1000	142207										

\*ELECTRO GALV ≥ 12µm

### IM45 CW NAIL SELECTION GUIDE

NAIL	FUEL CELLS	QTY	CODE	APPLICATIONS		
				Roof Membrane	Roof Shingles	Roofing Felt
19 x 3mm Smooth	1	1000	650454			
22 x 3mm Smooth	1	1000	142402			
25 x 3mm Smooth	1	1000	142403			
35 x 3mm Smooth	1	1000	142404			

● ELECTRO GALV ≥ 12µm / GALV-PLUS\* ≥ 15µm (INDOOR NOT HEATED, OUTDOOR PROTECTED, SERVICE CLASS 2)  
● HOT DIPPED GALV (OUTDOOR, EXPOSED TO WEATHER, SERVICE CLASS 3)  
● STAINLESS STEEL A2-304 / A4-316 (OUTDOOR, EXPOSED TO WEATHER, SERVICE CLASS 3)

**DID YOU KNOW:**  
1 lithium battery is compatible for 9 Paslode tools.  
Product Code: 018880



**IM350+** PRODUCT CODE: 906500

The NEW and improved version of the iconic IM350+ tool heralds the seventh generation of Paslode gas nailing technology. Benefitting from 40 years of customer insight and innovation, the tool is strong and durable, guaranteeing tool performance and reliability.

**3.3 KG WEIGHT**  
**82J OF POWER**

**IDEAL USERS**  
Carpenter, Roofer or General Builder working on New Build and Renovation projects.

FEATURE	BENEFIT
Powerful Paslode framing nailer: 82 Joules	Suitable for versatile framing applications
Longer fan run time	Improved tool cooling with longer fan cycle for rapid firing
New rubberized grip for improved handling and feel	Added comfort and control for improved ergonomics and manoeuvrability
Fast charging, high performing Lithium battery (200 shots in just 2 minutes)	Delivers up to 9,000 shots per charge, equates to over 4 nail fuel packs
Bigger battery notch	Easier battery insertion and removal

**CONSUMABLES**

- 2.8 or 3.1mm clipped nail available in sizes from 50 - 90mm. Smooth or Ring Shank nails are available
- Wide range of Paslode Nail Fuel Packs available

Selection guides for tools to the left.

### IM350+ NAIL SELECTION GUIDE

NAIL	FUEL CELLS	QTY	CODE	APPLICATIONS									
				Floor boarding	Stud work	Noggin	Joist	Timber frame	Roof battening	Close boarding	Roof decking	External cladding	Fencing
51 x 2.8mm Ring	3	3300	141202										
63 x 2.8mm Ring	3	3300	141208										
75 x 3.1mm Ring	2	2200	141226										
90 x 3.1mm Smooth	2	2200	141233										
51 x 2.8mm Ring	3	3300	141204										
51 x 2.8mm Ring	1	1100	141256										
63 x 2.8mm Ring	3	3300	141210										
63 x 2.8mm Ring	1	1100	141259										
63 x 3.1mm Ring	1	1100	141273										
63 x 3.1mm Ring	2	2200	141221										
75 x 3.1mm Ring	2	2200	141227										
90 x 3.1mm Smooth	2	2200	141234										
50 x 2.5mm Ring	2	2200	141200	Black hardened full head nail for metal roofing applications									
51 x 2.8mm Ring	3	3300	141205										
63 x 2.8mm Ring	3	3300	141211										
63 x 3.1mm Ring	2	2200	141222										
75 x 3.1mm Ring	2	2200	141228										
75 x 3.1mm Ring	1	1100	141265										
90 x 3.1mm Smooth	2	2200	141235										
90 x 3.1mm Smooth	1	1100	141267										
90 x 3.1mm Unilock	2	2200	141236										
51 x 2.8mm Ring A2	1	1100	141257										
63 x 2.8mm Ring A2	1	1100	141261										
80 x 3.1mm Ring A2	1	1100	141266										

● BRIGHT (INDOOR, SERVICE CLASS 1)  
● ELECTRO GALV ≥ 12µm / GALV-PLUS\* ≥ 15µm (INDOOR NOT HEATED, OUTDOOR PROTECTED, SERVICE CLASS 2)  
● HOT DIPPED GALV (OUTDOOR, EXPOSED TO WEATHER, SERVICE CLASS 3)  
● STAINLESS STEEL A2-304 / A4-316 (OUTDOOR, EXPOSED TO WEATHER, SERVICE CLASS 3)

### BENEFITS OF THE COMPLETE SYSTEM

With Paslode you get peace of mind with the complete system. When all components are used together you get the full benefit of over 40 years of innovation and development.

**PUT SIMPLY**, we know what works and how to make it work consistently day in and day out.

- TOOL:** Strong, durable, powerful
- FUEL:** Greater power in a light weight, more compact tool
- BATTERY:** Up to 13,000 shots between battery charges
- NAILS:** All-weather and high bend resistant nails with higher driveability

### EMPOWERING YOU WITH THE COMPLETE SYSTEM



www.paslode.co.uk

1 Wheatstone Place, Southfield Industrial Estate  
Glenrothes, Fife KY6 2SW

Customer Services: 0800 833381  
Follow us @PaslodeUK



# FIRST FIX POCKET GUIDE





# INTRODUCTION



Paslode has been driving change in timber construction since 1935. Over this time our brand has built an enviable reputation for delivering best-in-class nailing systems, often revolutionising construction methods, reducing labour time whilst increasing product reliability and on-site safety.

The Paslode delivery system is made up of 3 major components - the tool, nails and gas. Paslode manufacture all components to the highest quality, maintaining and guaranteeing performance only when all parts are used together.



**EMPOWERING YOU WITH THE COMPLETE SYSTEM**

## FRAMING NAILER

• THE EXPERT •



**360Xi**

PRODUCT CODE: 019700

The **360Xi** framing nailer is light and perfectly balanced to guarantee a great performance for multiple applications. A high performing lithium battery and a weatherproof fuel cell ensures the tool will run all day, every day no matter the challenge.

**3.6 KG WEIGHT**



**105J OF POWER**

### IDEAL USERS

Carpenter, Roofer or General Builder working on New Build projects such as large housing developments.

FEATURE	BENEFIT
<ul style="list-style-type: none"> <li>Unbeatable power to weight ratio, the most powerful Paslode framing nailer: 105 Joules</li> <li>Light and perfectly balanced with a re-engineered grip and new battery position</li> <li>Quick release magazine</li> <li>Fast charging, high performing Lithium battery (200 shots in just 2 minutes)</li> <li>Cold weather performance</li> <li>Easy to use rotating depth of drive adjuster</li> </ul>	<ul style="list-style-type: none"> <li>Able to drive 90mm Ring Shank nails into the hardest substrates</li> <li>Ensures extra comfort and convenience with reduced fatigue, guaranteeing all day productivity</li> <li>Designed to eliminate nail jams</li> <li>Delivers up to 13,000 shots per charge, equates to over 5 nail fuel packs</li> <li>Allows user to work down to -15°C</li> <li>Allows optimal embedment of nails for a clean, flush finish</li> </ul>

CONSUMABLES
<ul style="list-style-type: none"> <li>Requires Paslode 2.8 or 3.1mm RounDrive® nails. Available in sizes from 50 - 90mm</li> <li>Smooth or Ring Shank nails are available</li> </ul>

## FRAMING NAILER

• THE 2-IN-1 •



**COMBI Xi**

PRODUCT CODE: 014012

The **COMBI Xi** is a compact, well-balanced tool with an intelligent fuel injection system which delivers true cold weather performance. Its revolutionary design makes it the world's first nailer capable of firing framing nails as well as hardened twist nails for metalwork applications.

**3.6 KG WEIGHT**



**105J OF POWER**

### IDEAL USERS

Carpenter, Roofer or General Builder working on New Build and Renovation projects predominantly fixing framing nails, but also with a secondary need to fix metal work connectors.

FEATURE	BENEFIT
<ul style="list-style-type: none"> <li>105 Joules of power</li> <li>World's first 2-in-1 Tool - All in one box</li> <li>Quick release magazines and nose pieces</li> <li>For Metalwork, 6 times faster than hand nailing, with nose probe self-locating for pinpoint accuracy</li> <li>Fast charging, high performing Lithium battery (200 shots in just 2 minutes)</li> <li>Cold weather Performance</li> </ul>	<ul style="list-style-type: none"> <li>Able to drive 51 - 90mm framing nails as well as hardened twist nails</li> <li>Less van space taken, everything you need in one case for Framing and Metalwork applications</li> <li>No tools required to change from Framing to Metalwork applications</li> <li>Reduces fatigue and personal injuries and allows for improved accessibility in hard-to-reach areas</li> <li>Delivers up to 13,000 shots per charge, equates to over 5 nail fuel packs</li> <li>Allows user to work down to -15°C</li> </ul>

CONSUMABLES
<ul style="list-style-type: none"> <li>COMBI Xi requires Paslode 2.8 or 3.1mm RounDrive® nails. Available in sizes from 51 - 90mm</li> <li>COMBI Xi requires Paslode ELECTRO GALV Hardened Twist nails. Available in 35 x 3.4mm</li> </ul>

## SPECIALIST NAILER

• THE SPECIALIST •



**PPNXi**

PRODUCT CODE: 019790

The **PPNXi** is the first positive placement nailer on the market, providing an efficient and safe way of installing hangers, brackets and straps. The innovative locator probe accurately delivers a hardened twist nail in the precise required location.

**3.8 KG WEIGHT**



**77J OF POWER**

### IDEAL USERS

Carpenters and Roofers working on-site, on both New Build and Renovation projects, fixing metal work connectors into wood.

FEATURE	BENEFIT
<ul style="list-style-type: none"> <li>77 Joules of power</li> <li>X6 faster than hand nailing the same applications</li> <li>Nose probe self locates to allow pinpoint accuracy</li> <li>Quick release magazine</li> <li>Fast charging, high performing Lithium battery (200 shots in just 2 minutes)</li> <li>Cold weather performance</li> </ul>	<ul style="list-style-type: none"> <li>Power to drive Hardened Twist nails into hard wood</li> <li>Reduces fatigue and personal injuries from having to nail in awkward positions</li> <li>Difficult to reach areas can now be filled, improving accessibility and durability</li> <li>Designed to eliminate nail jams and maximise runtime for high volume operations</li> <li>Delivers up to 13,000 shots per charge, equates to over 5 nail fuel packs</li> <li>Allows user to work down to -15°C</li> </ul>

CONSUMABLES
<ul style="list-style-type: none"> <li>ELECTRO GALV Hardened Twist nails available in 35 x 3.4mm size</li> </ul>

# FIXINGS

← Selection guides for tools to the left.

### 360Xi & COMBI Xi NAIL SELECTION GUIDE

NAIL	FUEL CELLS	QTY	CODE	APPLICATIONS														
				Floor boarding	Stud work	Noggin	Joist	Timber frame	Roof battening	Close boarding	Roof decking	Decking	External cladding	Fencing				
51 x 2.8mm Ring	3	3300	141083															
63 x 2.8mm Ring	3	3300	141078															
75 x 3.1mm Ring	2	2200	141081															
90 x 3.1mm Smooth	2	2200	141076															
90 x 3.1mm Ring	2	2200	141082															
50 x 2.8mm NailScrew*	1	1250	142100															
51 x 2.8mm Ring	3	3300	141075															
51 x 2.8mm Ring	1	1100	141080															
63 x 2.8mm Ring	3	3300	141071															
63 x 2.8mm Ring	1	1100	141079															
63 x 3.1mm Ring	1	1100	141089															
63 x 3.1mm Ring	2	2200	141073															
65 x 2.8mm NailScrew*	1	1250	142102															
75 x 2.8mm NailScrew*	1	1250	142104															
75 x 3.1mm Ring	2	2200	141072															
90 x 3.1mm Smooth	2	2200	141070															
90 x 3.1mm Smooth	1	1100	141077															
90 x 3.1mm Ring	2	2200	141074															
63 x 2.8mm Ring	3	3300	140631															
63 x 3.1mm Ring	2	2200	140625															
75 x 3.1mm Ring	2	2200	140630															
90 x 3.1mm Smooth	2	2200	140629															
90 x 3.1mm Ring	2	2200	140628															
50 x 2.8mm NailScrew A2	1	1250	142101															
51 x 2.8mm Ring A2	1	1100	140624															
63 x 2.8mm Ring A2	1	1100	140626															
65 x 2.8mm NailScrew A2	1	1250	142103															
75 x 2.8mm NailScrew A2	1	1250	142105															
80 x 3.1mm Ring A2	1	1100	140627															

\*ELECTRO GALV ≥ 12µm • NailScrews® not compatible with or suitable for use with COMBI Xi tool

### PPNXi & COMBI Xi NAIL SELECTION GUIDE

NAIL	FUEL CELLS	QTY	CODE	APPLICATIONS				
				Joist hangers	Truss clips	Connector plates	Strapping	Sole brackets stop
35 x 3.4mm Twist	2	2500	141185					
35 x 3.4mm Twist	2	1250	141189					

### ROOFING BATTEN NAIL

The Paslode Galv-Plus® 63 x 3.1mm Roof Batten Nails are proven to equal or better the performance requirements set out in BS 5534

Product Codes:  
360Xi: 141073 (QTY 2200) - 141089 (QTY 1100)  
IM350+: 141221 (QTY 2200) - 141273 (QTY 1100)



# FIXINGS

### EUROCODE 5 SERVICE CLASS

All Paslode framing nails are classified according to Eurocode 5 Service Class 1, 2 and 3 providing a suitable nail for every application

### CORROSION REQUIREMENTS OUTLINED IN EC5

Service Class 1 INDOORS	Service Class 2 INDOORS NOT HEATED, OUTDOORS PROTECTED	Service Class 3 OUTDOORS, EXPOSED TO WEATHER
BRIGHT		
ELECTRO GALV ≥ 12µm and GALV-PLUS® ≥ 15µm		
HOT DIPPED GALVANISED ≥ 55µm		
STAINLESS STEEL - A2 (AISI 304) & A4 (AISI 316)		

All Paslode nails are hexavalent chromium, cadmium and lead free. Technical documentation available via the website - [www.paslode.co.uk](http://www.paslode.co.uk)



### APPROVALS

- European safety standard EN ISO11148-13 outlines the safe operation of Paslode tools. Only those fuel cells and consumables identified in the operating manual should be used
- Paslode 3.1 x 63mm Galvanised Plus IM350+/360Xi Ring Shank nail will equal or better the performance of batten fixings outlined in the British Standards BS 5534



### NAIL SHANK TYPES

- RING SHANK:** Provides the highest withdrawal resistance. Fixing across the grain
- SMOOTH SHANK:** Offers high shear value and lowest withdrawal resistance. Fixing across the grain and into end grain

### NAIL SCREWS®

Revolutionary Paslode NailScrew® system which combines the speed of gas nailing with the simplicity of a screw. Six times faster than standard wood screws. Each box supplied with FREE TX bit. Available for IM45 GN & 360Xi in sizes 35 - 75mm.



• NailScrews® not compatible with or suitable for use with COMBI Xi tool

# ACCESSORIES

DESCRIPTION	QTY	CODE
In-Car Charger Adaptor	1	900507
Impulse Cleaner 300ml	1	115251
Impulse Lubricating Oil	1	401482
Impulse/Pulsa Cleaning Kit	1	013690
Lithium Battery	1	018880
Lithium Battery Charger	1	018882

DESCRIPTION	QTY	CODE
SERIES-i Fuel Cell Blister Pack (Pack of 2)	1	300348
360Xi No-Mar Cladding Probe	1	019783
IM360Ci No-Mar Cladding Probe	1	013211

DESCRIPTION	QTY	CODE
Combi Nose Probe - Framing	1	019278
Combi Nose Probe - Metalwork	1	014032
Combi Magazine - Framing	1	014028
Combi Magazine - Metalwork	1	014029

DESCRIPTION	QTY	CODE
SERIES-i Fuel Cell Blister Pack (Pack of 2)	1	300348
PPNXi / PPN35Ci Probe Kit	1	014099

DESCRIPTION	QTY	CODE
IM350 / IM350+ Standard Fuel Cell Blister Pack Pink (Pack of 2)	1	300346
No-mar Work Contact Element Adaptor Kit (Butterfly Clip Depth of Drive)	1	012082

DESCRIPTION	QTY	CODE
IM45 Fuel Cell Blister Pack (Pack of 2)	1	575722

**DID YOU KNOW:**  
The Paslode battery fast charge function allows you to charge your battery up to 200 shots in as little as 2 minutes!



# FINE FINISHING NAILER FIXINGS & ACCESSORIES

GAS FINE FINISH BRAD NAILER



## IM50 F18

PRODUCT CODE:  
**013333**

The **IM50** finishing brad nailer is perfect for intricate detail applications, producing seamless fixes without the extra time of re-finishing work.

**2.1 KG**  
WEIGHT



**25J**  
OF POWER



### IDEAL USERS

Metal Roofers working on residential and commercial projects. Also suitable for Carpenters working on cladding applications.



#### FEATURE

- 25 Joules of power
- Optimum line of sight and no mar tip
- Depth of drive adjustment
- Fast charging, high performing Lithium battery (200 shots in just 2 minutes)



#### BENEFIT

- Ideal power ensures seamless fixes in all soft woods and dense MDF
- Enables user to increase accuracy in their fixings
- Guarantees a flawless finish
- Delivers up to 10,000 shots per charge, equates to 5 brad fuel packs



#### CONSUMABLES

- Thinner 18 gauge brad for discreet fine finish nailing
- F18 straight brads available in sizes 16 - 50mm
- 1.2mm diameter brad available in Electro galv White headed brads now available in 38mm & 50mm

← Selection guides for tool to the left.

### IM50 F18 BRAD SELECTION GUIDE

NAIL	FUEL CELLS		QTY	CODE	APPLICATIONS													
	2	2000				Doado rail	Architrave	Skirting	Beading	Door stop	Stairs	Door set	Hand rail	Paneling	Cabinets	Palmetts		
F18 x 16mm	2	2000	395192															
F18 x 25mm	2	2000	395193															
F18 x 32mm	2	2000	395194															
F18 x 38mm	2	2000	395195															
F18 x 50mm	2	2000	395196															
F18 x 38mm - White	2	2000	575593															
F18 x 50mm - White	2	2000	575594															

● ELECTRO-GALV (INDOOR)

### ALL TOOLS ACCESSORIES

DESCRIPTION	QTY	CODE
In-Car Charger Adaptor	1	900507
Impulse Cleaner 300ml	1	115251
Impulse Lubricating Oil	1	401482
Impulse/Pulsa Cleaning Kit	1	013690
Lithium Battery	1	018880
Lithium Battery Charger	1	018882

### IM65 F16 ACCESSORIES

DESCRIPTION	QTY	CODE
Mini Fuel Cell Blister Pack Yellow (Pack of 2)	1	300341
IM65 Nose Tips	1	219236

### IM65A F16 ACCESSORIES

DESCRIPTION	QTY	CODE
Mini Fuel Cell Blister Pack Yellow (Pack of 2)	1	300341
IM65A Nose Tip	1	902425

### IM50 F18 ACCESSORIES

DESCRIPTION	QTY	CODE
Mini Fuel Cell Blister Pack Yellow (Pack of 2)	1	300341
IM50 Hard Contact Elements	1	901048
IM50 Soft Contact Element	1	901067



Paslode tools have a standard 2 year warranty, covering all components providing that Manufacturer's Operating Instructions have been followed, that no modifications have been made or non-original components or spare parts have been used, and that the tool has not been accidentally damaged or neglected.

\*except COMBI Xi which is 3-Year warranty



SCAN TO DOWNLOAD



www.paslode.co.uk

1 Wheatstone Place, Southfield Industrial Estate  
Glenrothes, Fife KY6 2SW



Follow us @PaslodeUK

Customer Services:  
0800 833381




923727/5230/02.25



# SECOND FIX POCKET GUIDE

VISIT OUR WEBSITE



# INTRODUCTION



Paslode has been driving change in timber construction since 1935. Over this time our brand has built an enviable reputation for delivering best-in-class nailing systems, often revolutionising construction methods, reducing labour time whilst increasing product reliability and on-site safety.

The Paslode delivery system is made up of 3 major components - the tool, nails and gas. Paslode manufacture all components to the highest quality, maintaining and guaranteeing performance only when all parts are used together.



## BENEFITS OF THE COMPLETE SYSTEM

Our finishing nailers offer a whole host of specially designed features that allow you to be faster to the finish and on to your next job in no time at all.

When using your Paslode tool with the complete system of Paslode fuel, battery and nails you get the peace of mind of over 40 years of innovation and development.



## EMPOWERING YOU WITH THE COMPLETE SYSTEM

# FINISHING NAILER



## IM65 F16

PRODUCT CODE:  
916575

The **IM65** is a compact, quick and durable straight finish nailer with a no-mar tip to enable precise fixing.

2.1 KG  
WEIGHT



30J  
OF POWER

### IDEAL USERS

Carpenter or Joiner working on both New Build and Renovation projects.



#### FEATURE

- 30 Joules of power
- Lightest and best-balanced finish nailer
- Fast charging, high performing Lithium battery (200 shots in just 2 minutes)
- Easy Nail Jam clearing nose assembly with clear line of sight
- Minimum 25,000 shots before cleaning required



#### BENEFIT

- Optimum power ensures a flush finish in all soft woods and dense MDF
- Allows user to manoeuvre into tight spaces and work fatigue-free
- Delivers up to 10,000 shots per charge, equates to 5 brad fuel packs
- Provides easy access in the event of a jam, reduced downtime
- Work more productively for longer



#### CONSUMABLES

- Wide range of F16 brads available in Electro galv and Stainless Steel
- IM65 Straight F16 brads available in sizes 16 - 63mm
- Short brad kit accessory available separately to fix 16 - 25mm brads. Product Code: 013720

# FINISHING NAILER



## IM65A F16

PRODUCT CODE:  
916275

The **IM65A** is a compact, quick and durable angled finish nailer with a no-mar tip to enable precise fixing into tight spaces.

2 KG  
WEIGHT



30J  
OF POWER

### IDEAL USERS

Carpenter or Joiner working on both New Build and Renovation projects.



#### FEATURE

- 30 Joules of power
- Distinctive angled magazine
- Lightest and best-balanced finish nailer
- Fast charging, high performing Lithium battery (200 shots in just 2 minutes)
- Easy Nail Jam clearing nose assembly with clear line of sight
- Minimum 25,000 shots before cleaning required



#### BENEFIT

- Optimum power ensures a flush finish in all soft woods and dense MDF
- Designed specifically for precision when working in corners and tight spaces
- Allows user to manoeuvre into tight spaces and work fatigue-free
- Delivers up to 10,000 shots per charge, equates to 5 brad fuel packs
- Provides easy access in the event of a jam, reduced downtime
- Work more productively for longer



#### CONSUMABLES

- Wide range of F16 brads available in Electro galv and Stainless Steel
- IM65A Angled F16 brads available in sizes 32 - 63mm
- White headed brads now available in 38mm & 50mm

# FIXINGS

← Selection guides for tools to the left.

## IM65 F16 BRAD SELECTION GUIDE

NAIL	FUEL CELLS	QTY	CODE	APPLICATIONS						
				dado rail	Architrave	Skirting	Beading	Door stop	MDF fixing	Hardwood
F16 x 16mm	2	2000	921585				●			
F16 x 19mm	2	2000	921586				●	●		
F16 x 25mm	2	2000	921587				●	●		
F16 x 32mm	2	2000	921588				●	●		
F16 x 38mm	2	2000	921589	●	●		●	●	●	
F16 x 45mm	2	2000	921590		●		●	●	●	
F16 x 50mm	2	2000	921591	●	●		●	●	●	
F16 x 63mm	2	2000	921592	●			●			
F16 x 25mm	2	2000	921593							●
F16 x 38mm	2	2000	921594							●
F16 x 50mm	2	2000	921595							●
F16 x 63mm	2	2000	921596							●

## IM65A F16 BRAD SELECTION GUIDE

NAIL	FUEL CELLS	QTY	CODE	APPLICATIONS						
				dado rail	Architrave	Skirting	Beading	Door stop	MDF fixing	Hardwood
F16 x 32mm	2	2000	300270	●			●			
F16 x 38mm	2	2000	300271		●			●	●	
F16 x 45mm	2	2000	300272		●			●	●	
F16 x 50mm	2	2000	300273	●	●		●	●	●	
F16 x 63mm	2	2000	300274				●			
F16 x 38mm - White	2	2000	575589		●			●	●	
F16 x 50mm - White	2	2000	575590	●	●		●	●	●	
F16 x 32mm	2	2000	300276							●
F16 x 38mm	2	2000	300277							●
F16 x 50mm	2	2000	300279							●
F16 x 63mm	2	2000	300280							●

● ELECTRO-GALV (INDOOR)  
● STAINLESS STEEL A2-304 (OUTDOOR)

**DID YOU KNOW:**  
1 lithium battery is compatible for 9 Paslode tools.  
Product Code: 018880

