

SPECIALIST NAILER

SPECIALIST NAILER

FIXINGS

FRAMING NAILER

CONSUMABLES & COMPLETE SYSTEM



Paslode tools have a standard 2 year warranty, covering all components providing that Manufacturer's Operating Instructions have been followed, that no modifications have been made or non-original components or spare parts have been used, and that the tool has not been accidentally damaged or neglected.

*except Xi tool range which is 3-Year warranty



CAPABLE OF FIRING NAIL SCREWS



IM45 GN PRODUCT CODE: 018608

The **IM45 GN** is the first cordless coil nailer. Its diverse range of nails suits many applications such as metal roofing and cladding.

IDEAL USERS
Metal Roofers working on residential and commercial projects. Also suitable for Carpenters working on cladding applications.

FEATURE

- 30 Joules of power
 - Unique delivery system is in a class of its own
 - Simple and versatile tool
 - No-mar rubber tip delivers a perfect flush finish
 - Optimised nose design and clear line of sight
 - Cold weather performance
- BENEFIT**
- Ideal power ensures clean flush finish
 - Decreased force needed to drive nails as opposed to hand nailing
 - Nail collation suits many applications
 - Prevents surface damage to building materials
 - Aids accurate fixing, even in tight spaces
 - Allows user to work down to -7°C

CONSUMABLES

- High nail capacity per coil: 125 nails
- No debris nail collation gives a clean flush finish

IM45 CW PRODUCT CODE: 018116

The **IM45 CW Clout Nailer** is designed specifically for clout nails which suit a wide range of applications such as flat roof membrane and shingles.

IDEAL USERS
Roofers and general builders working on renovation and commercial projects

FEATURE

- Fires clout head nails
 - 6x faster than hand nailing
 - 125 nail magazine capacity
 - 30 Joules of power
 - Cold weather performance
- BENEFIT**
- Suitable for a wide range of applications
 - Saving time and cost per job
 - Less time spent reloading
 - Ideal power ensures clean flush finish
 - Allows user to work down to -7°C

CONSUMABLES

- High nail capacity per coil: 125 nails

Selection guides for tools to the left.

IM45 GN NAIL SELECTION GUIDE					APPLICATIONS							
NAIL	FUEL CELLS	QTY	CODE		Metal roof install	External cladding	Overboarding	Fencing	Shingles	Packaging	Temporary signage	Composite tiles
35 x 2.5mm NailScrew*	1	1000	142205									
40 x 2.5mm NailScrew*	1	750	142206									
25 x 2.8mm Ring	1	1000	142200									
25 x 2.8mm Ring A2	1	1000	142201									
32 x 2.8mm Ring A2	1	1000	142202									
35 x 2.5mm Ring A2	1	1000	142207									

*ELECTRO GALV ≥ 12µm

IM45 CW NAIL SELECTION GUIDE					APPLICATIONS			
NAIL	FUEL CELLS	QTY	CODE		Roof Membrane	Roof Shingles	Roofing Felt	
19 x 3mm Smooth	1	1000	650454					
22 x 3mm Smooth	1	1000	142402					
25 x 3mm Smooth	1	1000	142403					
35 x 3mm Smooth	1	1000	142404					

● ELECTRO GALV ≥ 12µm / GALV-PLUS* ≥ 15µm (INDOOR NOT HEATED, OUTDOOR PROTECTED, SERVICE CLASS 2)
● HOT DIPPED GALV (OUTDOOR, EXPOSED TO WEATHER, SERVICE CLASS 3)
● STAINLESS STEEL A2-304 / A4-316 (OUTDOOR, EXPOSED TO WEATHER, SERVICE CLASS 3)

DID YOU KNOW:
1 lithium battery is compatible for 9 Paslode tools.
Product Code: 018880



IM350+ PRODUCT CODE: 906500

The **NEW** and improved version of the iconic **IM350+** tool heralds the seventh generation of Paslode gas nailing technology. Benefitting from 40 years of customer insight and innovation, the tool is strong and durable, guaranteeing tool performance and reliability.

IDEAL USERS
Carpenter, Roofer or General Builder working on New Build and Renovation projects.

FEATURE

- Powerful Paslode framing nailer: 82 Joules
 - Longer fan run time
 - New rubberized grip for improved handling and feel
 - Fast charging, high performing Lithium battery (200 shots in just 2 minutes)
 - Bigger battery notch
- BENEFIT**
- Suitable for versatile framing applications
 - Improved tool cooling with longer fan cycle for rapid firing
 - Added comfort and control for improved ergonomics and manoeuvrability
 - Delivers up to 9,000 shots per charge, equates to over 4 nail fuel packs
 - Easier battery insertion and removal

CONSUMABLES

- 2.8 or 3.1mm clipped nail available in sizes from 50 - 90mm. Smooth or Ring Shank nails are available
- Wide range of Paslode Nail Fuel Packs available

Selection guides for tools to the left.

IM350+ NAIL SELECTION GUIDE					APPLICATIONS										
NAIL	FUEL CELLS	QTY	CODE		Floor boarding	Stud work	Noggin	Joist	Timber frame	Roof battening	Close boarding	Roof decking	External cladding	Fencing	
51 x 2.8mm Ring	3	3300	141202												
63 x 2.8mm Ring	3	3300	141208												
75 x 3.1mm Ring	2	2200	141226												
90 x 3.1mm Smooth	2	2200	141233												
51 x 2.8mm Ring	3	3300	141204												
51 x 2.8mm Ring	1	1100	141256												
63 x 2.8mm Ring	3	3300	141210												
63 x 2.8mm Ring	1	1100	141259												
63 x 3.1mm Ring	1	1100	141273												
63 x 3.1mm Ring	2	2200	141221												
75 x 3.1mm Ring	2	2200	141227												
90 x 3.1mm Smooth	2	2200	141234												
50 x 2.5mm Ring	2	2200	141200		Black hardened full head nail for metal roofing applications										
51 x 2.8mm Ring	3	3300	141205												
63 x 2.8mm Ring	3	3300	141211												
63 x 3.1mm Ring	2	2200	141222												
75 x 3.1mm Ring	2	2200	141228												
75 x 3.1mm Ring	1	1100	141265												
90 x 3.1mm Smooth	2	2200	141235												
90 x 3.1mm Smooth	1	1100	141267												
90 x 3.1mm Unilock	2	2200	141236												
51 x 2.8mm Ring A2	1	1100	141257												
63 x 2.8mm Ring A2	1	1100	141261												
80 x 3.1mm Ring A2	1	1100	141266												

● BRIGHT (INDOOR, SERVICE CLASS 1)
● ELECTRO GALV ≥ 12µm / GALV-PLUS* ≥ 15µm (INDOOR NOT HEATED, OUTDOOR PROTECTED, SERVICE CLASS 2)
● HOT DIPPED GALV (OUTDOOR, EXPOSED TO WEATHER, SERVICE CLASS 3)
● STAINLESS STEEL A2-304 / A4-316 (OUTDOOR, EXPOSED TO WEATHER, SERVICE CLASS 3)

BENEFITS OF THE COMPLETE SYSTEM

With Paslode you get peace of mind with the complete system. When all components are used together you get the full benefit of over 40 years of innovation and development.

PUT SIMPLY, we know what works and how to make it work consistently day in and day out.

- TOOL:** Strong, durable, powerful
- FUEL:** Greater power in a light weight, more compact tool
- BATTERY:** Up to 13,000 shots between battery charges
- NAILS:** All-weather and high bend resistant nails with higher driveability

EMPOWERING YOU WITH THE COMPLETE SYSTEM



SCAN TO DOWNLOAD



www.paslode.co.uk

1 Wheatstone Place, Southfield Industrial Estate
Glenrothes, Fife KY6 2SW

Follow us @PaslodeUK

Customer Services:
0800 833381



923595/5230/10.25



FIRST FIX POCKET GUIDE

VISIT OUR WEBSITE



INTRODUCTION



Paslode has been driving change in timber construction since 1935. Over this time our brand has built an enviable reputation for delivering best-in-class nailing systems, often revolutionising construction methods, reducing labour time whilst increasing product reliability and on-site safety.

The Paslode delivery system is made up of 3 major components - the tool, nails and gas. Paslode manufacture all components to the highest quality, maintaining and guaranteeing performance only when all parts are used together.



EMPOWERING YOU WITH
THE COMPLETE SYSTEM

FRAMING NAILER

• THE EXPERT •



360Xi

PRODUCT CODE:
019700

The **360Xi** framing nailer is light and perfectly balanced to guarantee a great performance for multiple applications. A high performing lithium battery and a weatherproof fuel cell ensures the tool will run all day, every day no matter the challenge.

3.6 KG
WEIGHT



105J
OF POWER



IDEAL USERS

Carpenter, Roofer or General Builder working on New Build projects such as large housing developments.



FEATURE

- Unbeatable power to weight ratio, the most powerful Paslode framing nailer: 105 Joules
- Light and perfectly balanced with a re-engineered grip and new battery position
- Quick release magazine
- Fast charging, high performing Lithium battery (200 shots in just 2 minutes)
- Cold weather performance
- Easy to use rotating depth of drive adjuster



BENEFIT

- Able to drive 90mm Ring Shank nails into the hardest substrates
- Ensures extra comfort and convenience with reduced fatigue, guaranteeing all day productivity
- Designed to eliminate nail jams
- Delivers up to 13,000 shots per charge, equates to over 5 nail fuel packs
- Allows user to work down to -15°C
- Allows optimal embedment of nails for a clean, flush finish



CONSUMABLES

- Requires Paslode 2.8 or 3.1mm RounDrive® nails. Available in sizes from 50 - 90mm
- Smooth or Ring Shank nails are available

FRAMING NAILER

• THE 2-IN-1 •



COMBI Xi

PRODUCT CODE:
014012

The **COMBI Xi** is a compact, well-balanced tool with an intelligent fuel injection system which delivers true cold weather performance. Its revolutionary design makes it the world's first nailer capable of firing framing nails as well as hardened twist nails for metalwork applications.

3.6 KG
WEIGHT



105J
OF POWER



IDEAL USERS

Carpenter, Roofer or General Builder working on New Build and Renovation projects predominantly fixing framing nails, but also with a secondary need to fix metal work connectors.



FEATURE

- 105 Joules of power
- World's first 2-in-1 Tool - All in one box
- Quick release magazines and nose pieces
- For Metalwork, 6 times faster than hand nailing, with nose probe self-locating for pinpoint accuracy
- Fast charging, high performing Lithium battery (200 shots in just 2 minutes)
- Cold weather Performance



BENEFIT

- Able to drive 51 - 90mm framing nails as well as hardened twist nails
- Less van space taken, everything you need in one case for Framing and Metalwork applications
- No tools required to change from Framing to Metalwork applications
- Reduces fatigue and personal injuries and allows for improved accessibility in hard-to-reach areas
- Delivers up to 13,000 shots per charge, equates to over 5 nail fuel packs
- Allows user to work down to -15°C



CONSUMABLES

- COMBI Xi requires Paslode 2.8 or 3.1mm RounDrive® nails. Available in sizes from 51 - 90mm
- COMBI Xi requires Paslode ELECTRO GALV Hardened Twist nails. Available in 35 x 3.4mm



SPECIALIST NAILER

• THE SPECIALIST •



PPNXi

PRODUCT CODE:
019790

The **PPNXi** is the first positive placement nailer on the market, providing an efficient and safe way of installing hangers, brackets and straps. The innovative locator probe accurately delivers a hardened twist nail in the precise required location.

3.8 KG
WEIGHT



77J
OF POWER



IDEAL USERS

Carpenters and Roofers working on-site, on both New Build and Renovation projects, fixing metal work connectors into wood.



FEATURE

- 77 Joules of power
- X6 faster than hand nailing the same applications
- Nose probe self locates to allow pinpoint accuracy
- Quick release magazine
- Fast charging, high performing Lithium battery (200 shots in just 2 minutes)
- Cold weather performance



BENEFIT

- Power to drive Hardened Twist nails into hard wood
- Reduces fatigue and personal injuries from having to nail in awkward positions
- Difficult to reach areas can now be filled, improving accessibility and durability
- Designed to eliminate nail jams and maximise runtime for high volume operations
- Delivers up to 13,000 shots per charge, equates to over 5 nail fuel packs
- Allows user to work down to -15°C



CONSUMABLES

- ELECTRO GALV Hardened Twist nails available in 35 x 3.4mm size

FIXINGS

← Selection guides for tools to the left.

360Xi & COMBI Xi NAIL SELECTION GUIDE

NAIL	FUEL CELLS	QTY	CODE	APPLICATIONS	Floor boarding	Stud work	Noggin	Joist	Timber frame	Roof battening	Close boarding	Roof decking	Decking	External cladding	Fencing
51 x 2.8mm Ring	3	3300	141083												
63 x 2.8mm Ring	3	3300	141078												
75 x 3.1mm Ring	2	2200	141081												
90 x 3.1mm Smooth	2	2200	141076												
90 x 3.1mm Ring	2	2200	141082												
50 x 2.8mm NailScrew*	1	1250	142100												
51 x 2.8mm Ring	3	3300	141075												
51 x 2.8mm Ring	1	1100	141080												
63 x 2.8mm Ring	3	3300	141071												
63 x 2.8mm Ring	1	1100	141079												
63 x 3.1mm Ring	1	1100	141089												
63 x 3.1mm Ring	2	2200	141073												
65 x 2.8mm NailScrew*	1	1250	142102												
75 x 2.8mm NailScrew*	1	1250	142104												
75 x 3.1mm Ring	2	2200	141072												
90 x 3.1mm Smooth	2	2200	141070												
90 x 3.1mm Smooth	1	1100	141077												
90 x 3.1mm Ring	2	2200	141074												
63 x 2.8mm Ring	3	3750	142014												
63 x 3.1mm Ring	2	2200	140625												
75 x 3.1mm Ring	2	2200	140630												
90 x 3.1mm Smooth	2	2500	142039												
90 x 3.1mm Ring	2	2500	142040												
50 x 2.8mm NailScrew A2	1	1250	142101												
51 x 2.8mm Ring A2	1	1100	140624												
63 x 2.8mm Ring A2	1	1100	140626												
65 x 2.8mm NailScrew A2	1	1250	142103												
75 x 2.8mm NailScrew A2	1	1250	142105												
80 x 3.1mm Ring A2	1	1100	140627												

*ELECTRO GALV ≥ 12µm

• NailScrews® not compatible with or suitable for use with COMBI Xi tool

PPNXi & COMBI Xi NAIL SELECTION GUIDE

NAIL	FUEL CELLS	QTY	CODE	APPLICATIONS	Joist hangers	Truss clips	Connector plates	Strapping	Sole brackets stop	Z-clips
35 x 3.4mm Twist	2	2500	141185							
35 x 3.4mm Twist	1	1250	141189							

ROOFING BATTEN NAIL

The Paslode Galv-Plus® 63 x 3.1mm Roof Batten Nails are proven to equal or better the performance requirements set out in BS 5534

Product Codes:
360Xi: 141073 (QTY 2200) - 141089 (QTY 1100)
IM350+: 141221 (QTY 2200) - 141273 (QTY 1100)



FIXINGS

EUROCODE 5 SERVICE CLASS

All Paslode framing nails are classified according to Eurocode 5 Service Class 1, 2 and 3 providing a suitable nail for every application

CORROSION REQUIREMENTS OUTLINED IN EC5

Service Class 1 INDOORS	Service Class 2 INDOORS NOT HEATED, OUTDOORS PROTECTED	Service Class 3 OUTDOORS, EXPOSED TO WEATHER
BRIGHT		
ELECTRO GALV ≥ 12µm and GALV-PLUS® ≥ 15µm		
HOT DIPPED GALVANISED ≥ 55µm		
STAINLESS STEEL - A2 (AISI 304) & A4 (AISI 316)		

All Paslode nails are hexavalent chromium, cadmium and lead free. Technical documentation available via the website - www.paslode.co.uk

APPROVALS

- European safety standard EN ISO11148-13 outlines the safe operation of Paslode tools. Only those fuel cells and consumables identified in the operating manual should be used
- Paslode 3.1 x 63mm Galvanised Plus IM350+/360Xi Ring Shank nail will equal or better the performance of batten fixings outlined in the British Standards BS 5534



NAIL SHANK TYPES

- RING SHANK:** Provides the highest withdrawal resistance. Fixing across the grain
- SMOOTH SHANK:** Offers high shear value and lowest withdrawal resistance. Fixing across the grain and into end grain

NAIL SCREWS®

Revolutionary Paslode NailScrew® system which combines the speed of gas nailing with the simplicity of a screw. Six times faster than standard wood screws. Each box supplied with FREE TX bit. Available for IM45 GN & 360Xi in sizes 35 - 75mm.



• NailScrews® not compatible with or suitable for use with COMBI Xi tool

ACCESSORIES

ALL TOOLS ACCESSORIES

DESCRIPTION	QTY	CODE
In-Car Charger Adaptor	1	900507
Impulse Cleaner 300ml	1	115251
Impulse Lubricating Oil	1	401482
Impulse/Pulsa Cleaning Kit	1	013690
Lithium Battery	1	018880
Lithium Battery Charger	1	018882

360Xi / IM360Ci ACCESSORIES

DESCRIPTION	QTY	CODE
SERIES-i Fuel Cell Blister Pack (Pack of 1)	1	300348
360Xi No-Mar Cladding Probe	1	019783
IM360Ci No-Mar Cladding Probe	1	013211

COMBI Xi

DESCRIPTION	QTY	CODE
Combi Nose Probe - Framing	1	019278
Combi Nose Probe - Metalwork	1	014032
Combi Magazine - Framing	1	014028
Combi Magazine - Metalwork	1	014029

PPNXi / PPN35Ci ACCESSORIES

DESCRIPTION	QTY	CODE
SERIES-i Fuel Cell Blister Pack (Pack of 1)	1	300348
PPNXi / PPN35Ci Probe Kit	1	014099

IM350+ ACCESSORIES

DESCRIPTION	QTY	CODE
IM350 / IM350+ Standard Fuel Cell Blister Pack Pink (Pack of 2)	1	300346
No-mar Work Contact Element Adaptor Kit (Butterfly Clip Depth of Drive)	1	012082

IM45 GN / IM45 CW ACCESSORIES

DESCRIPTION	QTY	CODE
IM45 COLD FUEL Cell Blister Pack (Pack of 2)	1	575722

DID YOU KNOW:
The Paslode battery fast charge function allows you to charge your battery up to 200 shots in as little as 2 minutes!



FINE FINISHING NAILER FIXINGS & ACCESSORIES



Paslode tools have a standard 2 year warranty, covering all components providing that Manufacturer's Operating Instructions have been followed, that no modifications have been made or non-original components or spare parts have been used, and that the tool has not been accidentally damaged or neglected.

*except Xi tool range which is 3-Year warranty



GAS FINE FINISH BRAD NAILER



IM50 F18

PRODUCT CODE:
013333

The **IM50** finishing brad nailer is perfect for intricate detail applications, producing seamless fixes without the extra time of re-finishing work.

2.1 KG
WEIGHT



25J
OF POWER



IDEAL USERS

Carpenter or Joiner working on secret nailing applications such as cabinet and furniture work, beading and shop fitting.



FEATURE

- 25 Joules of power
- Optimum line of sight and no mar tip
- Depth of drive adjustment
- Fast charging, high performing Lithium battery (200 shots in just 2 minutes)



BENEFIT

- Ideal power ensures seamless fixes in all soft woods and dense MDF
- Enables user to increase accuracy in their fixings
- Guarantees a flawless finish
- Delivers up to 10,000 shots per charge, equates to 5 brad fuel packs



CONSUMABLES

- Thinner 18 gauge brad for discreet fine finish nailing
- F18 straight brads available in sizes 16 - 50mm
- 1.2mm diameter brad available in Electro galv White headed brads now available in 38mm & 50mm

← Selection guides for tool to the left.

IM50 F18 BRAD SELECTION GUIDE

NAIL	FUEL CELLS	QTY	CODE	APPLICATIONS									
				Dado rail	Architrave	Skirting	Beading	Door stop	Stairs	Door set	Hand rail	Paneling	Cabinets
F18 x 16mm	2	2000	395192										
F18 x 25mm	2	2000	395193										
F18 x 32mm	2	2000	395194										
F18 x 38mm	2	2000	395195										
F18 x 50mm	2	2000	395196										
F18 x 38mm - White	2	2000	575593										
F18 x 50mm - White	2	2000	575594										

● ELECTRO-GALV (INDOOR)

ALL TOOLS ACCESSORIES

DESCRIPTION	QTY	CODE
In-Car Charger Adaptor	1	900507
Impulse Cleaner 300ml	1	115251
Impulse Lubricating Oil	1	401482
Impulse/Pulsa Cleaning Kit	1	013690
Lithium Battery	1	018880
Lithium Battery Charger	1	018882

IM65 F16 ACCESSORIES

DESCRIPTION	QTY	CODE
Mini Fuel Cell Blister Pack Yellow (Pack of 2)	1	300341
IM65 Nose Tips	1	219236

IM65A F16 ACCESSORIES

DESCRIPTION	QTY	CODE
Mini Fuel Cell Blister Pack Yellow (Pack of 2)	1	300341
IM65A Nose Tip	1	902425

IM50 F18 ACCESSORIES

DESCRIPTION	QTY	CODE
Mini Fuel Cell Blister Pack Yellow (Pack of 2)	1	300341
IM50 Hard Contact Elements	1	901048
IM50 Soft Contact Element	1	901067



SCAN TO DOWNLOAD



www.paslode.co.uk

1 Wheatstone Place, Southfield Industrial Estate
Glenrothes, Fife KY6 2SW



Follow us @PaslodeUK

Customer Services:
0800 833381

923727/5230/10.25



SECOND FIX POCKET GUIDE

VISIT OUR WEBSITE



INTRODUCTION



Paslode has been driving change in timber construction since 1935. Over this time our brand has built an enviable reputation for delivering best-in-class nailing systems, often revolutionising construction methods, reducing labour time whilst increasing product reliability and on-site safety.

The Paslode delivery system is made up of 3 major components - the tool, nails and gas. Paslode manufacture all components to the highest quality, maintaining and guaranteeing performance only when all parts are used together.



BENEFITS OF THE COMPLETE SYSTEM

Our finishing nailers offer a whole host of specially designed features that allow you to be faster to the finish and on to your next job in no time at all.



When using your Paslode tool with the complete system of Paslode fuel, battery and nails you get the peace of mind of over 40 years of innovation and development.

EMPOWERING YOU WITH THE COMPLETE SYSTEM

FINISHING NAILER



IM65 F16

PRODUCT CODE:
916575

The **IM65** is a compact, quick and durable straight finish nailer with a no-mar tip to enable precise fixing.

2.1 KG
WEIGHT



30J
OF POWER



IDEAL USERS

Carpenter or Joiner working on both New Build and Renovation projects.



FEATURE

- 30 Joules of power

- Lightest and best-balanced finish nailer

- Fast charging, high performing Lithium battery (200 shots in just 2 minutes)

- Easy Nail Jam clearing nose assembly with clear line of sight

- Minimum 25.000 shots before cleaning required



BENEFIT

- Optimum power ensures a flush finish in all soft woods and dense MDF

- Allows user to manoeuvre into tight spaces and work fatigue-free

- Delivers up to 10,000 shots per charge, equates to 5 brad fuel packs

- Provides easy access in the event of a jam, reduced downtime

- Work more productively for longer



CONSUMABLES

- Wide range of F16 brads available in Electro galv and Stainless Steel
- IM65 Straight F16 brads available in sizes 16 - 63mm
- Short brad kit accessory available separately to fix 16 – 25mm brads. Product Code: 013720

FINISHING NAILER



IM65A F16

PRODUCT CODE:
916275

The **IM65A** is a compact, quick and durable angled finish nailer with a no-mar tip to enable precise fixing into tight spaces.

2 KG
WEIGHT



30J
OF POWER



IDEAL USERS

Carpenter or Joiner working on both New Build and Renovation projects.



FEATURE

- 30 Joules of power

- Distinctive angled magazine

- Lightest and best-balanced finish nailer

- Fast charging, high performing Lithium battery (200 shots in just 2 minutes)

- Easy Nail Jam clearing nose assembly with clear line of sight

- Minimum 25.000 shots before cleaning required



BENEFIT

- Optimum power ensures a flush finish in all soft woods and dense MDF

- Designed specifically for precision when working in corners and tight spaces

- Allows user to manoeuvre into tight spaces and work fatigue-free

- Delivers up to 10,000 shots per charge, equates to 5 brad fuel packs

- Provides easy access in the event of a jam, reduced downtime

- Work more productively for longer



CONSUMABLES

- Wide range of F16 brads available in Electro galv and Stainless Steel
- IM65A Angled F16 brads available in sizes 32 - 63mm
- White headed brads now available in 38mm & 50mm

FIXINGS

Selection guides for tools to the left.

IM65 F16 BRAD SELECTION GUIDE

NAIL	FUEL CELLS	QTY	CODE	APPLICATIONS	Dado rail	Architrave	Skirting	Beading	Door stop	MDF fixing	Hardwood
F16 x 16mm	2	2000	921585								
F16 x 19mm	2	2000	921586								
F16 x 25mm	2	2000	921587								
F16 x 32mm	2	2000	921588								
F16 x 38mm	2	2000	921589								
F16 x 45mm	2	2000	921590								
F16 x 50mm	2	2000	921591								
F16 x 63mm	2	2000	921592								
F16 x 25mm	2	2000	921593								
F16 x 38mm	2	2000	921594								
F16 x 50mm	2	2000	921595								
F16 x 63mm	2	2000	921596								

IM65A F16 BRAD SELECTION GUIDE

NAIL	FUEL CELLS	QTY	CODE	APPLICATIONS	Dado rail	Architrave	Skirting	Beading	Door stop	MDF fixing	Hardwood
F16 x 32mm	2	2000	300270								
F16 x 38mm	2	2000	300271								
F16 x 45mm	2	2000	300272								
F16 x 50mm	2	2000	300273								
F16 x 63mm	2	2000	300274								
F16 x 38mm - White	2	2000	575589								
F16 x 50mm - White	2	2000	575590								
F16 x 32mm	2	2000	300276								
F16 x 38mm	2	2000	300277								
F16 x 50mm	2	2000	300279								
F16 x 63mm	2	2000	300280								

● ELECTRO-GALV (INDOOR)
● STAINLESS STEEL A2-304 (OUTDOOR)

DID YOU KNOW:
1 lithium battery is compatible for 9 Paslode tools.
Product Code: 018880

